Tribhuvan University

Faculty of Humanities and Social Sciences

OFFICE OF THE DEAN

2019

BCA Third Semester

Subject: Probability and Statistics Full Marks:60

Time: 3hr Pass Marks: 24

Group B

Attempt any SIX questions. [6x5 = 30]

2. Describe scope and limitation of statistics.

3. Determine average wages from following data:

| Wage | 25 - 30 | 30 - 35 | 35 - 40 | 40 - 45 | 45 - 50 | 50 - 55 | 55 - 60 | 60 - 65 | 65 - 70 |
|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| No of worker | 10 | 13 | 18 | 21 | 24 | 28 | 20 | 11 | 8 |

4. Calculate Karl Pearson's correlation coefficient from the following data:

| Sales | 43 | 41 | 36 | 34 | 50 |
|----------|----|----|----|----|----|
| Expenses | 10 | 22 | 13 | 19 | 17 |

5. Estimate the marks in JAVA when the marks in statistics in 65 by using following data.

| Marks in statistics | 57 | | 59 | 59 | 60 | 61 | 62 | 64 |
|---------------------|----|----|----|----|----|----|----|----|
| Expenses | 77 | 78 | 75 | 78 | 82 | 82 | 79 | 81 |

6. Fit Bionomial Distribution from the following data where p = 0.5

| No. of health | 0 | 1 | 2 | 3 | 4 |
|---------------|----|----|----|----|---|
| Frequency | 28 | 62 | 46 | 20 | 4 |

- 7. How do you determine sample size in sampling? explain briefly
- 8. Write short notes on simple random sampling.

Group C

Attempt any TWO questions. [2x10 = 20]

9. Student's age in the regular daytime BCCA program and the morning time BCA program of campus are described by two samples. If the homogeneity in age of the class is positive factor in learning make suggestions, with reason which of two groups will be easier to teach

| Popular | BCA Program | Morning | g BCA Program |
|---------|-------------------|---------|-------------------|
| Age | Number of student | Age | Number of student |
| 23 | 9 | 27 | 19 |
| 29 | 2 | 31 | 8 |
| 28 | 5 | 30 | 5 |
| 22 | 10 | 29 | 4 |
| 30 | 1 | 28 | 6 |
| 21 | 4 | 33 | 5 |
| 25 | 11 | 34 | 5 |
| 26 | 6 | 35 | 11 |
| 27 | 3 | 36 | 2 |
| 24 | 9 | 32 | 4 |
| Total | 60 | Total | 60 |

^{18.} Given a normal distribution with mean 200 and s.d 20, find the probability that.

11. The labor productivity indexes of Nepal are recorded is below:

| Sector | Year | | | |
|------------------------------|------|------|------|--|
| | 2015 | 2016 | 2017 | |
| Agriculture | 100 | 125 | 138 | |
| Manufacturing | 100 | 60 | 53 | |
| Community and social service | 100 | 89 | 80 | |

Dose the labor productivity index vary die to the;

- i) Difference in the sector
- ii) Difference in the time period

i) P(x > 180) ii) P(x < 220) iii) P(160 < x < 240) iv) P(x > 220) v) P(x < 180 or x > 220)

vi) 10% of the values are less than what values of x?

Tribhuvan University

Faculty of Humanities and Social Sciences

OFFICE OF THE DEAN

2020

BCA Third Semester

Subject: Probability and Statistics Full Marks:60

Time: 3hr Pass Marks: 24

Group B

Attempt any Six question

2. Write down the process of collecting Primary data

3. Determine first quartile (Q_1) 7th Decile (D_7) and 80th Percentile (P_{80}) from the following data:

| Age in Year | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 |
|---------------|----|----|----|----|----|----|----|----|----|
| No. of People | 2 | 11 | 24 | 35 | 27 | 17 | 11 | 8 | 5 |

4. Calculate correlation coefficient between income and expenditure in foods of certain families of Kathmandu Metropolitan from the following information

| Income (000 Rs) | 10 | 11 | 12 | 13 | 14 |
|-----------------------------|----|----|----|----|----|
| Expenditure in food (000Rs) | 9 | 8 | 9 | 12 | 11 |

- 5. A box contain 50 item of which 20 are defectives. If one item is selected randomly from the box, what is the probability that it is a non-defective item?
- 6. What is sampling? The Standard Deviation of marks in an entrance exam in BCA students is 0.5. How large a sample must be taken in oder to be 95% confidence that the error of his/her estimate will not exceed 0.01.
- 7. Calculate the median and mode from following distribution

| Expenditure (000Rs) | 10 - 20 | 20 - 30 | 30 - 40 | 40 - 50 | 50 - 60 | 60 - 70 |
|---------------------|---------|---------|---------|---------|---------|---------|
| Number in families | 7 | 12 | 15 | 13 | 8 | 5 |

8. A test was given to three candidates taken at random from three province of Nepal. the scores of candidates are given below:

| Gandaki | 9 | 7 | 6 |
|---------|---|---|---|
| Lumbini | 7 | 4 | 5 |
| Bagmati | 6 | 5 | 6 |

Carry out one-way ANOVA

Group C

Attempt any Two question

9. From the following data, determine average marks of student, standard deviation and coefficient variation

| Marks | 0 - 10 | 10 - 20 | 20 - 30 | 30 - 40 | 40 - 50 | 50 - 60 | 60 - 70 | 70 - 80 | 80 - 90 |
|--------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|
| No of people | 54 | 90 | 86 | 58 | 62 | 82 | 78 | 66 | 70 |

10. In a normal Distribution with mean = 200 and standard deviation = 20, Find the probability that

- a. P(X > 180)
- b. $P(X \le 220)$
- c. $P(160 \le X \le 240)$
- d. P(X > 220)
- e. 10% value are less than what value of X?
- 11. Describe simple random sampling with suitable example.